



HP SD Pro 44-in Scanner

Boost production with accurate color scanning—crisp lines and fine detail—delivered in high speed



ACCELERATE—Speed up production and drive results

- Accomplish more with incredible speeds—scan 6 inches/sec in color, 13 inches/sec in monochrome¹
- Experience an uninterrupted workflow with advanced touchscreen controller that enables ultra-fast processing
- Save time operating and managing your scanner with an intuitive user interface that requires less clicks to final scan
- Be more productive with improved compression options, unlimited presets, multi-page PDFs, and collating

EXPAND—Do more with advanced scanning technology

- Reproduce AEC/CAD drawings, blueprints, and maps with crisp lines and fine detail using CIS scanning technology
- Eliminate unwanted shadows and backgrounds with the new dual-illuminating system in CIS technology
- Produce high-quality results with 1200 dpi optical resolution for up to 44-inches (1118-mm) wide originals
- Easily share and collaborate—scan to HP SmartStream software,² email, USB, network folders, and HDDs

OPTIMIZE—Integrate and secure your workflow

- Enjoy seamless integration with HP PageWide XL and HP DesignJet printers; rely on a single support solution
- Avoid reprints—large touchscreen to preview, enhance images; post-scan editing with HP SmartStream software²
- Protect your data with advanced security—set up a password to scan to USB and access advanced settings
- Build a multifunction system³—save space with the adjustable stand and easily control output destinations⁴

Learn more at
hp.com/go/pagewidexl/sdproscanner
hp.com/go/designjetsdproscanner



Technical specifications

Scan and copy	Scan speed ¹	Color: 15 cm/sec (6 in/sec) Grayscale: 33 cm/sec (13 in/sec)								
Enhanced resolution	9600 dpi									
Optical resolution	1200 dpi									
Imaging technology	CIS scanning technology									
Accuracy	+/- 0.1% +/- 1 pixel									
Data capture (color/mono)	48-bit/16-bit									
Maximum scan width	1118 mm (44 in)									
Supported file formats	PDF, TIFF, JPEG, JPEG2000, DWF, multi-page PDF generation									
Scan to	File, email, USB, HDD, network folder, FTP, print									
Settings	Type of original-preset, color mode, resolution (dpi), batch, single/multi-page, file format, customizable file naming, customizable default settings, de-skew, image crop and align preview, enlarge/reduce, blueprint, lightness, saturation and RGB controls, white point and black point adjust, sharpen/blur, background removal, invert, mirror, accounting									
Copier specific settings	Print mode, output size, paper type, copies, page order, collate, printer output destination (folder, stacker, bin), ⁴ folding style selection, ⁵ paneling, tiling, nesting, reprint									
Maximum scan size ⁷	0.91 x 26 m (36 x 1204 in); 0.6 x 37.9 m (24 x 1491 in); 0.3 x 75.8 m (12 x 2991 in)									
Maximum copies	Unlimited									
Batch	Available with scan and copy									
Preview	Scan, copy and print after previewing the original in the advanced touchscreen controller									
Size detection	Automatic width detection. Manual size selection also possible									
Applications	Line drawings, Maps, Office Graphics, Posters, Presentations									
Media	<table border="1"> <tr> <td>Handling</td><td>Straight-through scan paper path for sheet and cardboard originals. Face-up, front entry, rear exit, rewind to front, use document return guide for front-return</td></tr> <tr> <td>Types⁸</td><td>Non-abrasive paper, sepia, blueprints, plastic, plastic laminate, foam board, cardboard, newspaper</td></tr> <tr> <td>Size</td><td>Up to 1168 mm (46 in) wide</td></tr> <tr> <td>Thickness</td><td>Up to 2 mm (0.08 in)</td></tr> </table>	Handling	Straight-through scan paper path for sheet and cardboard originals. Face-up, front entry, rear exit, rewind to front, use document return guide for front-return	Types ⁸	Non-abrasive paper, sepia, blueprints, plastic, plastic laminate, foam board, cardboard, newspaper	Size	Up to 1168 mm (46 in) wide	Thickness	Up to 2 mm (0.08 in)	
Handling	Straight-through scan paper path for sheet and cardboard originals. Face-up, front entry, rear exit, rewind to front, use document return guide for front-return									
Types ⁸	Non-abrasive paper, sepia, blueprints, plastic, plastic laminate, foam board, cardboard, newspaper									
Size	Up to 1168 mm (46 in) wide									
Thickness	Up to 2 mm (0.08 in)									
Processor	Intel Core i7									
Memory	4 GB ⁹ memory, 500 GB ¹⁰ hard disk									
Connectivity	<table border="1"> <tr> <td>Interfaces (standard)</td><td>Dual Gigabit Ethernet (1000Base-T), Hi-Speed USB 3.0 certified</td></tr> <tr> <td>Drivers (included)</td><td>Windows drivers for compatible HP PageWide XL and HP DesignJet Printers</td></tr> </table>	Interfaces (standard)	Dual Gigabit Ethernet (1000Base-T), Hi-Speed USB 3.0 certified	Drivers (included)	Windows drivers for compatible HP PageWide XL and HP DesignJet Printers					
Interfaces (standard)	Dual Gigabit Ethernet (1000Base-T), Hi-Speed USB 3.0 certified									
Drivers (included)	Windows drivers for compatible HP PageWide XL and HP DesignJet Printers									
User Interface	15.6-inch (396-mm) large touchscreen to preview and enhance images									
Languages	Chinese (simplified), Chinese (traditional), Dutch, English, French, German, Italian, Japanese, Korean, Portuguese, Spanish									
Dimensions (w x d x h)	<table border="1"> <tr> <td>Scanner</td><td>60 x 37 x 65 in (1530 x 930 x 1660 mm)</td></tr> <tr> <td>Shipping</td><td>1500 x 680 x 710 mm (59 x 27 x 28 in)</td></tr> </table>	Scanner	60 x 37 x 65 in (1530 x 930 x 1660 mm)	Shipping	1500 x 680 x 710 mm (59 x 27 x 28 in)					
Scanner	60 x 37 x 65 in (1530 x 930 x 1660 mm)									
Shipping	1500 x 680 x 710 mm (59 x 27 x 28 in)									
Weight	<table border="1"> <tr> <td>Scanner</td><td>60 kg (132 lb)</td></tr> <tr> <td>Shipping</td><td>85 kg (187 lb)</td></tr> </table>	Scanner	60 kg (132 lb)	Shipping	85 kg (187 lb)					
Scanner	60 kg (132 lb)									
Shipping	85 kg (187 lb)									
What's in the box	HP SD Pro 44-in Scanner, stand, touchscreen (panel PC), quick reference guide, media guides, setup poster, copy/scan software, documentation software, Ethernet cables (x2), power cords									
Environmental ranges	<table border="1"> <tr> <td>Operating temperature</td><td>5 to 40°C (41 to 104°F)</td></tr> <tr> <td>Storage temperature</td><td>-25 to 55°C (-13 to 131°F)</td></tr> <tr> <td>Operating humidity</td><td>20 to 80% RH</td></tr> </table>	Operating temperature	5 to 40°C (41 to 104°F)	Storage temperature	-25 to 55°C (-13 to 131°F)	Operating humidity	20 to 80% RH			
Operating temperature	5 to 40°C (41 to 104°F)									
Storage temperature	-25 to 55°C (-13 to 131°F)									
Operating humidity	20 to 80% RH									
Acoustic	<table border="1"> <tr> <td>Sound pressure</td><td>62 dB(A) (scanning); 30 dB(A) (ready); 30 dB(A) (sleep)</td></tr> <tr> <td>Sound power</td><td>6.4 B(A) (scanning); 3.3 B(A) (ready); 3.3 B(A) (sleep)</td></tr> </table>	Sound pressure	62 dB(A) (scanning); 30 dB(A) (ready); 30 dB(A) (sleep)	Sound power	6.4 B(A) (scanning); 3.3 B(A) (ready); 3.3 B(A) (sleep)					
Sound pressure	62 dB(A) (scanning); 30 dB(A) (ready); 30 dB(A) (sleep)									
Sound power	6.4 B(A) (scanning); 3.3 B(A) (ready); 3.3 B(A) (sleep)									
Power	<table border="1"> <tr> <td>Consumption</td><td>47 watts (scanning); 40 watts (ready); <3 watts (sleep)</td></tr> <tr> <td>Requirements</td><td>Input voltage (auto ranging): 100 to 240 VAC (+/- 10%), 50/60 Hz, 5 A max</td></tr> </table>	Consumption	47 watts (scanning); 40 watts (ready); <3 watts (sleep)	Requirements	Input voltage (auto ranging): 100 to 240 VAC (+/- 10%), 50/60 Hz, 5 A max					
Consumption	47 watts (scanning); 40 watts (ready); <3 watts (sleep)									
Requirements	Input voltage (auto ranging): 100 to 240 VAC (+/- 10%), 50/60 Hz, 5 A max									

Certification	Safety	USA and Canada (CSA certified), EU (LVD and EN 60950-1 compliant), Russia (GOST), Singapore (PSB), China (CCC), Argentina (IRAM), Mexico (NYPE), Korea (KC)
Electro magnetic	Compliance for Class A ITE products: EU (EMC Directive), USA (FCC Rules), Canada (ICES), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Korea (MSIP), Russia (EAC)	
Environmental	ENERGY STAR, WEEE, RoHS (EU, China, Korea, India), REACH, EPEAT Bronze	

Warranty One-year limited hardware warranty

Ordering information

Product	G6H50B	HP SD Pro 44-in Scanner
----------------	--------	-------------------------

Service and support

Product	H4518E	HP Installation Service with Network Setup
USAC5E	HP 3 year Next Business Day Onsite Support with Defective Media Retention	
USAC6E	HP 5 year Next Business Day Onsite Support with Defective Media Retention	
USAC7PE	HP 1 year Post Warranty Next Business Day Onsite Support with Defective Media Retention	

Supported printers

HP PageWide XL 8000 Printer	HP DesignJet T1500 Printer series
HP PageWide XL 8000 Blueprint ¹¹	HP DesignJet T1300 Printer
HP PageWide XL 5000 Printer series	HP DesignJet T1200 Printer series
HP PageWide XL 5000 Blueprint ¹¹	HP DesignJet T1120 Printer series
HP PageWide XL 4000/4500 Printer series	HP DesignJet T1100 Printer series
HP DesignJet Z6800 Photo Production Printer	HP DesignJet T930 Printer series
HP DesignJet Z6600 Production Printer	HP DesignJet T920 Printer series
HP DesignJet Z6200 Photo Production Printer	HP DesignJet T830 Multifunction Printer
HP DesignJet Z6100 Printer series	HP DesignJet T795 Printer
HP DesignJet Z5600 PostScript® Printer	HP DesignJet T790 Printer series
HP DesignJet Z5400 PostScript® Printer	HP DesignJet T770 Printer series
HP DesignJet Z5200 Photo Printer	HP DesignJet T730 Printer
HP DesignJet Z3200 Photo Printer series	HP DesignJet T610/T620 Printer series
HP DesignJet Z3100 Photo Printer series	HP DesignJet T520 Printer series
HP DesignJet Z2100 Photo Printer series	HP DesignJet 5500 Printer series
HP DesignJet T7200 Production Printer	HP DesignJet 5100 Printer
HP DesignJet T7100 Printer series	HP DesignJet 4500/4520 Printer series
HP DesignJet T3500 Production MFP	HP DesignJet 4000/4020 Printer series
HP DesignJet T2530 Multifunction Printer series	HP DesignJet 1050C/1055CM Printer series
HP DesignJet T2500 Multifunction Printer series	HP DesignJet 510 Printer series
HP DesignJet T2300 Multifunction Printer series	HP DesignJet 500 Printer series
HP DesignJet T1530 Printer series	

Eco Highlights

• ENERGY STAR® qualified and EPEAT Bronze registered⁵

Please recycle large-format printing hardware and printing supplies.

Find out how at our website

hp.com/ecosolutions

Est. 1991

DESIGNSUPPLY 
supporting creativity

0800 018 23 23

sales@designsupply.com

¹ Monochrome scanning: A1/D image with black text graphics at 200 dpi; color scanning: A1/D fully-inked color image at 200 dpi, 24-bit RGB.

² HP SmartStream is a professional software solution that supports HP PageWide XL printer series and HP DesignJet Production Printers.

³ Scanner can be placed above the following HP DesignJet printers: HP DesignJet 500/510/T520/T610/T620/T790/T1100/T1200/T1300/Z6100 Printer series; HP DesignJet T795/T1300 Printers; HP DesignJet Z2100/Z3100/Z3200 Photo Printer series; HP DesignJet Z5200 Photo Printer; HP DesignJet Z5400 PostScript Printer; HP DesignJet Z6200/Z6800 Photo Production Printers; HP DesignJet T7200/Z6600 Production Printers.

⁴ Output destinations when copying—such as folders and stackers—are available for the HP PageWide XL 8000 Printer, HP PageWide XL 5000 Printer series, HP DesignJet T7200 Production Printer, HP DesignJet T7100 Printer series, HP DesignJet T3500 Production MFP, HP DesignJet T2500 Multifunction Printer series, HP DesignJet T1500 Printer series, and HP DesignJet T920 Printer series.

⁵ EPEAT registered where applicable and/or supported. See PEAT.com for registration status by country.

⁶ Only available when folder accessory is available and supported by the HP large-format printer.

⁷ The HP SD Pro 44-in Scanner maximum scan length is 20.6 m (813 in) for a 44-in width image. The maximum scan size is measured using a color original at 200 dpi and TIFF file format. For grayscale or black-and-white originals, the maximum scan length is longer in all cases.

⁸ The HP SD Pro 44-in Scanner does not support the following types of media: plywood, stone plates, metal plates or abrasives, dirty, rough, sharp edged, metal clamped, or burned surfaces or transparencies.

⁹ Scanning process.

¹⁰ For scan job storage, Win7OS and recovery system.

¹¹ Only available in Asia Pacific countries with the exception of Korea, Singapore, Australia, and New Zealand.

