



Est. 1991  
DESIGN SUPPLY   
supporting creativity



## HP DesignJet Multifunction Solutions: help me choose

## Integrated MFPs



### MFP and scanning solutions specs comparison

### HP DesignJet T830 Multifunction Printer series 36-in / 24-in

### HP DesignJet T2530 MFP series

<b>Customer type</b>	Designed for architects/engineers and construction teams who are in the office or working at the job site	Design and engineering advanced workgroups within Enterprise environments who need superior print quality, efficient collaboration, strong everyday performance, and scanning capabilities
<b>Maximum scan width</b>	914 mm (36 inch) 610 mm (24 inch)	914 mm (36 inch)
<b>Scan application versatility</b>	<b>Maximum media width</b> 914 mm (36 inch) 610 mm (24 inch)  <b>Maximum media thickness</b> Up to 0.8 mm (0.03 inch)  <b>Applications</b> Recommended for technical documents, maps, and office graphics  <b>Conditions/document age</b> Undamaged documents	914 mm (36 inch)  Up to 0.8 mm (0.03 inch)  Recommended for technical documents, maps, and office graphics  Undamaged documents
<b>Scan technology</b>	CIS technology; <sup>1</sup>	CIS technology; <sup>1</sup>
<b>Optical resolution</b>	600 dpi	600 dpi
<b>Scan speed at 200 dpi</b>	Color: up to 3.81 cm/sec (1.5 in/sec) Grayscale: up to 11.43 cm/sec (4.5 in/sec)	Color: up to 6.35 cm/sec (2.5 in/sec) Grayscale: up to 19.05 cm/sec (7.5 in/sec)
<b>Scanner memory</b>	1 GB	No
<b>Touchscreen controller</b>	4-inch touch panel	4-inch touch panel
<b>Advanced image-enhancement software</b>	No	No
<b>Physical place of the scanner</b>	Integrated multifunction printer	Integrated multifunction printer
<b>Ease of use</b>	Automatic (default) settings for scan processing, ideal for occasional users	Automatic (default) settings for scan processing, ideal for occasional users
<b>Security features available for the scanner</b>	Firewalls	✓
	Protection against virus attack <sup>3</sup>	✓
	Disable FTP and web access	No
	Disable USB drive	✓
	Disable network access to scan images	✓
	NTLMv1 Protocols <sup>4</sup>	✓
<b>Security features available for the printer</b>	NTLMv2 Protocols <sup>4</sup>	✓
	PIN Printing	No
	Control Panel Lock	No
	Hide IP from Front Panel (FP)	No
	Disable firmware (F/W) update through USB	✓
	Secure Disk Erase	No
<b>HP Mobile Printing</b>	IPSec	No
	Encrypt web communications	✓
	ePrint (email printing)	✓
<b>Certification</b>	in-OS printing	✓ <sup>6</sup>
	HP Smart app	✓ <sup>7</sup>
<b>Printer size/paper size</b>	ENERGY STAR, EPEAT Silver, CE marking (including RoHS, WEEE, REACH).	ENERGY STAR®, WEEE, EU RoHS, China RoHS, REACH, EPEAT Bronze
<b>Print resolution</b>	914 mm (36 inch)/A0 610 mm (24 inch)/A1	914 mm (36 inch)/A0
<b>Embedded Adobe PostScript PDF Printer</b>	Up to 2400 x 1200 optimized dpi	Up to 2400 x 1200 optimized dpi
<b>Ink cartridges and printheads</b>	HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP PCL 3 GUI, URF	PostScript® Multifunction Printer: Adobe PostScript® 3™, Adobe PDF 1.7 Extension Level 3, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP PCL 3 GUI, URF
<b>Number of rolls/maximum roll length</b>	Four Original HP inks and one HP printhead	Six Original HP inks and one HP printhead
<b>Printer memory</b>	Automatic front-load roll feeds; rolls up to 45.7-m (150-ft) long	Two automatic front-loading roll feeds; rolls up to 91.4-m (300-ft) long
<b>Interfaces (standard)</b>	1 GB	128 GB file processing (based on 1.5 GB RAM), 500 GB hard disk
	Gigabit Ethernet (1000Base-T); Wi-Fi 802.11b/g/n; Wi-Fi Direct	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0 certified host connector



### HP DesignJet T3500 Production MFP

Repro houses and Central reprographics departments (CRDs), also print corners and print rooms, that want to fulfill all their color and black-and-white printing needs using an MFP that is built for high productivity and delivers affordable, unattended and secure operation

914 mm (36 inch)

(914 mm 36 inch)

Up to 0.5 mm (0.197 inch)

Recommended for line drawings, renderings, presentations, maps, and orthophotos

Undamaged documents

CIS technology:<sup>1</sup>

600 dpi

Color: up to 6.35 cm/sec (2.5 in/sec)

Grayscale: up to 19.05 cm/sec (7.5 in/sec)

300 MB<sup>2</sup> memory;

32 GB hard disk (for scan queue)

4-inch touch panel

No

Integrated multifunction printer

Automatic (default) settings for scan processing, ideal for occasional users

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

Est. 1991



0800 018 23 23

[sales@designsupply.com](mailto:sales@designsupply.com)

---

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. Adobe PostScript 3 is a trademark of Adobe Systems Incorporated.

4AA5-6963ENE, October 2017

